

Ring-necked Pheasant

Phasianus colchicus (84)

Alcorn
1946

Phasianus colchicus torquatus. Ring-necked Pheasant. Common resident. Seen on numerous occasions. Nests containing eggs were seen on July 20, 1941, and on April 10, 1942.

Phasianus colchicus. Ring-necked Pheasant. Common resident in some cultivated valleys. Reported by Alcorn (1946:132) as established in Lahontan Valley. Observed in 1939 at several localities in Lincoln County by Bond (1940:220).

Linsdale 1951

Seen on 5-1-66 by Art Biale
Art Biale reports liberations on
11-3-66 at DuBoise 60 birds.
Liberty Livestock - DV Camp 40 birds

Recorded 36 times in southern Nevada area.
More frequently heard (crowing) than seen.

Recorded 10 times in the Hiko area, between May 11, 1960 and June 2, 1965. Total of 15 seen, average 1.5

Recorded 591 times in the Fallon area, between Jan. 2, 1960 and Oct. 9, 1967. Total of 1407 seen, average of 2.4

Recorded 25 times in the Mason Valley area, between Jan. 9, 1961 and March 1, 1965. Total of 52 seen, average 2.1

Recorded 21 times in the Mason Valley area, between Dec. 1, 1941 and May 4, 1947. Total of 27 seen, average 1.3

Recorded two times in the Reno area, between March 3, 1962 and Oct. 16, 1962. Total of 2 seen, average 1.0

Recorded 40 times in the Lovelock area, between Jan. 15, 1960 and Nov. 1, 1967. Total of 199 seen, average 4.9

One ♀ recorded April 9, 1968 in the Elko area

Ring-necked Pheasant

Recorded 8 times in the Minden area, between Nov. 14, 1941 and Jan. 11, 1941. Total of 23 seen, average 2.9

One ♀ recorded April 16, 1942 in Douglas Co.

Ryder 1970 (309.1) Common / Rare : Valleys - Meadows and pastures: S., ^{E.} E. and W. Nevada

With Harold W. Peer, I delivered 24 pheasants to the County Clerk at Eureka for release in that area October 22, 1941

Ring-necked Pheasant *Phasianus colchicus*
Pete Schwabenland Stillwater

An estimated 50-75 birds use the Area
intermittently with adjacent farmland.
Nesting - some occurs.

L.D.N. a few birds range on and
off the area -

RING-NECKED PHEASANT: CONDOR ARTICLES

* *Phasianus colchicus*. Ring-necked Pheasant. Found locally common in meadow, hay and crop lands of Pahiranagat Valley, Meadow Valley Wash, Ursine, Eagle, and Rose valleys. Bond 1940

not in
MEZ